

**Program Studi Keperawatan Program Sarjana
Universitas Widya Husada Semarang
Semarang, Maret 2025**

ABSTRAK

Siti Nur Khasanah

**HUBUNGAN DUKUNGAN KELUARGA DENGAN TINGKAT
KECEMASAN PRE OPERASI PADA PASIEN DENGAN TINDAKAN
OPERASI PHACO IOL DI KAMAR BEDAH RS TELOGOREJO
SEMARANG**

xiii + 64 Hal + 7 Tabel + 2 Bagan + 9 Lampiran

Latar Belakang: Penatalaksanaan katarak yang sering dilakukan adalah dengan operasi Phaco dan IOL. Operasi tersebut menjadi salah satu stressor yang akan menimbulkan kecemasan. Salah satu faktor yang mempengaruhi kecemasan yaitu dukungan keluarga.

Metode: Jenis penelitian ini adalah penelitian kuantitatif, menggunakan metode deskriptif korelasional dengan desain *cross sectional*. Sampel diperoleh sebanyak 65 responden. Analisis data meliputi analisis univariat (distribusi frekuensi) dan bivariat (*spearman rank*). Peneliti mengajukan *Ethical clearance* kepada Komisi Etik Penelitian Kesehatan (KEPK) Universitas Widya Husada Semarang dengan NO.22/EC-LPPM/UWHS/III-2025.

Hasil: Hasil penelitian menunjukkan bahwa terdapat hubungan dukungan keluarga dengan tingkat kecemasan pre operasi pada pasien dengan tindakan operasi Phaco IOL di kamar bedah RS Telogorejo Semarang dengan nilai *p-value* < 0,05 (0,001) dengan keeratan hubungan yang cukup kuat antara dukungan keluarga dengan kecemasan pasien dan arah hubungan yang dimiliki bersifat negatif/bertolak belakang karena nilai korelasi (r) negatif ($r = -0.403$).

Kesimpulan: Dukungan keluarga efektif menurunkan tingkat kecemasan pasien dengan tindakan operasi Phaco IOL di kamar bedah RS Telogorejo.

Kata Kunci : Dukungan keluarga, kecemasan, pre operasi

Daftar pustaka : 65 (2015 – 2024).

ABSTRACT

Siti Nur Khasanah

RELATIONSHIP BETWEEN FAMILY SUPPORT AND PRE-OPERATIVE ANXIETY LEVELS IN PATIENTS UNDERGOING PHACO IOL SURGERY IN THE SURGERY ROOM OF TELOGOREJO HOSPITAL, SEMARANG

xiii + +64 Pages + 7 Tables + 2 Charts + 9 Attachments

Background: Cataract management that is often done is with Phaco and IOL surgery. The operation is one of the stressors that will cause anxiety. One of the factors that influences anxiety is family support.

Method: This type of research is quantitative research, using a descriptive correlational method with a cross-sectional design. The sample obtained was 65 respondents. Data analysis includes univariate analysis (frequency distribution) and bivariate (spearman rank). The researcher submitted Ethical clearance to the Health Research Ethics Commission (KEPK) of Widya Husada University Semarang with NO.22/EC-LPPM/UWHS/III-2025.

Results: The results of the study showed that there was a relationship between family support and preoperative anxiety levels in patients with Phaco IOL surgery in the operating room of Telogorejo Hospital, Semarang with a p-value <0.05 (0.001) with a fairly strong relationship between family support and patient anxiety and the direction of the relationship is negative/opposite because the correlation value (r) is negative ($r = -0.403$).

Conclusion: Family support is effective in reducing anxiety levels in patients with Phaco IOL surgery in the operating room of Telogorejo Hospital

Keywords : Family support, anxiety, pre-operative

Reference : 65 (2015 – 2024)

