

ABSTRAK

Renita Dwi Kurniasari

HUBUNGAN KEPATUHAN MENJALANI TERAPI HEMODIALISA TERHADAP KUALITAS HIDUP PADA PASIEN CKD (CHRONIC KIDNEY DISEASE) DI RSUD K.R.M.T WONGSONEGORO SEMARANG

xiv + 114 Hal + 6 Tabel + 2 Gambar + 17 Lampiran

Latar Belakang : Penyakit ginjal kronik (CKD) merupakan kondisi menurunnya fungsi ginjal secara bertahap dan progresif yang memerlukan terapi pengganti ginjal seperti hemodialisa. Hemodialisa yang dilakukan secara rutin sangat bergantung pada kepatuhan pasien, yang pada akhirnya memengaruhi kualitas hidup mereka. Penelitian ini bertujuan untuk mengetahui hubungan antara kepatuhan menjalani terapi hemodialisa dengan kualitas hidup pasien CKD di RSUD K.R.M.T Wongsonegoro Semarang.

Metode Penelitian : Penelitian menggunakan desain kuantitatif korelasional dengan pendekatan *cross-sectional*. Sampel terdiri dari 76 pasien yang menjalani hemodialisa rutin, dipilih melalui teknik *purposive sampling*. Instrumen yang digunakan meliputi kuesioner *End Stage Renal Disease Adherence Questionnaire* (ESRD-AQ) untuk mengukur kepatuhan dan WHOQOL-BREF untuk mengukur kualitas hidup.

Hasil : Hasil analisis bivariat dengan uji chi-square menunjukkan adanya hubungan yang signifikan antara kepatuhan hemodialisa dengan kualitas hidup pasien CKD ($p\text{-value} < 0,05$).

Kesimpulan : Pasien yang patuh terhadap terapi hemodialisa cenderung memiliki kualitas hidup yang lebih baik dibandingkan pasien yang tidak patuh. Temuan ini menegaskan pentingnya meningkatkan kepatuhan pasien dalam menjalani hemodialisa untuk mendukung perbaikan kualitas hidup secara menyeluruh.

Kata Kunci : Kepatuhan, Hemodialisa, Kualitas Hidup, Penyakit Ginjal Kronik

Daftar Pustaka : 58 (2011 – 2025)

ABSTRACT

Renita Dwi Kurniasari

THE RELATIONSHIP BETWEEN COMPLIANCE IN UNDERGOING HEMODIALYSIS THERAPY AND QUALITY OF LIFE IN CKD (CHRONIC KIDNEY DISEASE) PATIENTS AT K.R.M.T WONGSONEGORO HOSPITAL, SEMARANG

xiv + 114 pages + 6 Tables + 2 Figures + 17 Attachments

Background : *Chronic Kidney Disease (CKD) is a condition of gradual and progressive decline in kidney function that requires renal replacement therapy such as hemodialysis. Routine hemodialysis is highly dependent on patient compliance, which ultimately affects their quality of life. This study aims to determine the relationship between compliance in undergoing hemodialysis therapy and the quality of life of CKD patients at K.R.M.T Wongsonegoro Hospital, Semarang.*

Research Methods : *The study used a quantitative correlational design with a cross-sectional approach. The sample consisted of 76 patients undergoing routine hemodialysis, selected through a purposive sampling technique. The instruments used included the End Stage Renal Disease Adherence Questionnaire (ESRD-AQ) questionnaire to measure adherence and the WHOQOL-BREF to measure quality of life.*

Results : *The results of bivariate analysis using the chi-square test showed a significant relationship between hemodialysis compliance and the quality of life of CKD patients ($p\text{-value} < 0.05$).*

Conclusion : *Patients who are compliant with hemodialysis therapy tend to have better quality of life than patients who are not compliant. This finding emphasizes the importance of improving patient compliance in undergoing hemodialysis to support overall improvement in quality of life.*

Keywords : *Compliance, Hemodialysis, Quality of Life, Chronic Kidney Disease*

Bibliography : *58 (2011 – 2025)*